

# POWERSTOP<sup>®</sup> SERIES

# AUTOMATIC VEHICLE RESTRAINT



\* PowerStop<sup>®</sup> shown in stored position with standard controls.

- Push Button Activation (115v single phase operation)
- Restraining Force in Excess of 32,000 lbs.
- Low Profile, Non-Impact Design
- Corrosion Resistant Zinc Plated Finish
- Protective Debris Guard
- Remote Power Pack with Translucent Reservoir

- RIG Sensor Bar with Audible Alarm
- Automatic Light Sequence
- Override Selector Switch
- Made in the USA
- Captures NHTSA Regulation "Rear Impact Guards" (RIG) and Meets ANSI Spec MH30.3 Standards



Hydraulic operation to raise the restraint and engage the Rear Impact Guard.



Controls are easily combined with dock leveler controls to integrate entire dock system.



A set of standard and mirrored image caution signs notifies truck driver.

#### VEHICLE RESTRAINT SYSTEM

The PowerStop® is a non-impact, hydraulic vehicle restraint, available as a standalone unit or integrated with other loading dock equipment through an optional integrated control panel. The unit helps prevent unexpected trailer departure from the loading dock during the loading/unloading process.

#### **OPERATION**

Once a trailer is backed into position against the dock bumpers, the operator depresses the "Engage" button, activating the PowerStop to rise vertically to the trailer's Rear Impact Guard (RIG), placing a stop behind the RIG and preventing the trailer from being able to pull away. The restraint maintains contact with the RIG and adjusts automatically with the trailer float motion to ensure proper engagement at all times. After loading is complete, the operator depresses the "Release" button, lowering the PowerStop unit to a safely stored position, releasing the trailer.

### **SAFETY FEATURES**

- RIG sensor bar notifies the operator if the restraint is not securely engaged to the trailer's Rear Impact Guard.
- Automatic light sequencing with interior/exterior red/green lights always in opposition.
- Full communication package with lights, signs and control panel with universal signage pictures for additional communication safety.
- Override selector switch changes light for trailers without RIG or with badly damaged RIG.
- Restraining force in excess of 32,000 lbs.

#### LIGHT COMMUNICATION

For a safer loading dock, the PowerStop restraint uses an advanced light communication system. As a truck approaches, the exterior light is green and the interior light is red. Once the trailer is in position and the PowerStop is activated, the exterior light will change to red, warning the driver not to pull away, and interior light to green, allowing the dock attendant to safely enter the trailer. When the trailer is released and the restraint is safely stored, the interior light reverts back to red and the exterior light changes back to green.

"By-Pass" mode is also available, which turns the exterior lights to red and interior light to green. If "By-Pass" of the system is necessary, it is recommended that you secure the trailer by other means before proceeding with the loading/unloading process.




The restraint is engaged electrically/hydraulically allowing it to rise and securely hold a trailers RIG bar with the dual locking arm. Pump and motor are 1/4 HP at 115V single phase. The control panel is NEMA 4/12 with all components, connections and wiring UL listed and/or recognized. Panels are built in-house in UL-approved control panel shop.

## CONSTRUCTION

The durable zinc-plated, steel housing unit is designed to protect the self-contained motor and all internal components from any weather conditions.

PowerStop <sup>®</sup> Series Common Options
Integrated control panel
Custom interlock sequence with leveler
Key lock override switch
Limit switches for door interlock
LED interior & exterior lights
Combined with leveler powerpack (VS, VH & PR Only)
CentraPower - Multiple units on a single power source
Cantilever bracket
24" high track available for low dock heights





W194 N11481 McCormick Drive • Germantown, WI 53022 Phone: 1.800.643.5424 • Email: sales@poweramp.com WWW.poweramp.com

2.	DISTRIBUTED BY:	
, ,		
, WI 53022		
amp.com		

Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation